

BH Module

Admission Health History: Currently Pregnant Updates



Surrogacy Updates

Currently, the **Admission Health History** form does not have a space to list the names of the intended parents for a gestational carrier or surrogate. Under the domain of surrogacy, proper documentation of the intended parents supports patient safety and the validation of parentage under the terms of a gestational agreement. With this change, a new field has been added to the **Admission Health History** intervention to document the names of the intended parents.

Gestational carrier/surrogate has the following responses:

- Yes
- No

If 'Yes' is selected, it will default to the *Intended parents names* field.

Intended parents names is a new, free-text enabled field, where multiple names can be added.

The Yellow Information Box offers additional guidance:

The birth mother and intended parents agree the names below are the intended parents.
An executed surrogacy agreement was requested of the parties and, if provided, has been added to the record.

Maternal Status Updates

Currently, Maternal hepatitis C results, Maternal syphilis result & testing trimester and Maternal HPV results are not documented. With recommendation from the American Obstetricians and Gynecologists, these fields are now available for documentation.

Currently Pregnant

Maternal hepatitis C:

- 1 ☐ Currently negative
- 2 ☐ Currently positive
- 3 ☐ Currently being treated
- 4 ☐ Currently unknown
- 5 ☐ History of not treated
- 6 ☐ History of treated

Suspected/prediagnosed fetal anomalies:→

Current pregnancy history comments:

Maternal blood type:

Maternal Rh type:

Maternal Rho (D) immune globulin this pregnancy:

Maternal rubella:

Maternal hepatitis B:

Maternal hepatitis C:→

Maternal HIV:

(Prev Page) ☐ (Next Page) ☐

Maternal hepatitis C is a new field with the following responses:

- Currently negative
- Currently positive
- Currently being treated
- Currently unknown
- History of not treated
- History of treated

Currently Pregnant

Maternal syphilis:

1 <input type="checkbox"/> Currently negative	7 <input type="checkbox"/> 1st trimester positive
2 <input type="checkbox"/> Currently positive	8 <input type="checkbox"/> 1st trimester negative
3 <input type="checkbox"/> Currently being treated	9 <input type="checkbox"/> 3rd trimester positive
4 <input type="checkbox"/> Currently unknown	10 <input type="checkbox"/> 3rd trimester negative
5 <input type="checkbox"/> History of not treated	
6 <input type="checkbox"/> History of treated	

Maternal group B strep:→Positive

Maternal gonorrhea:→Currently being treated

Maternal chlamydia:→Currently being treated

Maternal trichomoniasis:→Currently being treated

Maternal RPR/VDRL:→Reactive

Maternal syphilis:→

(Prev Page) ☐ (Next Page) ☐

Maternal syphilis is a new field with the following responses:

- Currently negative
- Currently positive
- Currently being treated
- Currently unknown
- History of not treated
- History of treated
- 1st trimester positive
- 1st trimester negative
- 3rd trimester positive
- 3rd trimester negative

Currently Pregnant

Maternal HPV:

- 1 ☐ Currently negative
- 2 ☐ Currently positive
- 3 ☐ Currently being treated
- 4 ☐ Currently unknown
- 5 ☐ History of not treated
- 6 ☐ History of treated

Maternal HPV:

Maternal herpes:

Maternal current active lesion:

Maternal date of last herpes outbreak:

Antenatal steroid date:

Antenatal steroid time:

Antenatal steroid number of doses:

(Prev Page) (Next Page)

Maternal HPV is a new field with the following responses:

- Currently negative
- Currently positive
- Currently being treated
- Currently unknown
- History of not treated
- History of treated

These updates affect the following interventions/assessments:

Nursing	Surgery
Admission Health History	SURG: Admission Health History
BH: Health History Assessment	

Disposition of Home Meds



The **Health History Assessment** has been updated to provide a new response option to document that a patient's home medications were secured or stored during the admission process. See the Discharge Instructions update for information regarding the alert for Disposition of valuables and home meds.

Health History Assessment

Disposition of home meds: [or free text]

- 1 ☐ Sent home with family
- 2 ☐ Sent to pharmacy
- 3 ☒ Stored per policy/proc

Disposition of valuables: Placed in secured storage

Disposition of home meds: Stored per policy/proc

Assistive devices used:

Assistive devices info:

(Prev Page) (Next Page)

Disposition of home meds has a new response:

- Stored per policy/proc

This update affects the following interventions:

Nursing	Surgery
Admission Health History	SURG: Admission Health History
BH: Health History Assessment	

Discharge Instructions: Disposition of Valuables and/or Home Medications Alert



Currently, there is not an efficient way for discharging staff to know that a patient's valuables and/or home medications were secured on admission. Based on responses to valuables and/or home medications, the **Discharge Instructions** will display an alert to provide awareness that there may be items to return to the patient.

The screenshot shows a 'Discharge Instructions' window. At the top, there is a 'Discharge to:' field. Below it, a modal dialog box titled 'Disposition of Valuables/Home Medications' is displayed. The dialog contains a yellow warning triangle icon and the following text:

Per admission documentation:

Disposition of valuables: Placed in secured storage

Disposition of home medications: Stored per policy/proc

At the bottom of the dialog is an 'Ok' button. The main window also has '(Prev Page)' and '(Next Page)' buttons at the bottom.

An alert will display if the following responses were selected for the *Disposition of valuables* and/or *Home medications*:

- Placed in secured storage
- Sent to pharmacy
- Stored per policy/proc

This will alert the clinician to items that may need to be returned to the patient.

Note: If free text was entered in addition to one of the above group response options, the 'Free Text' will also be displayed. If only 'Free Text' was entered on admission, no alert will display.

This update affects the following interventions/assessments:

Nursing
Discharge Instructions
BH: Discharge Instructions Home

Malnutrition Screening Updates



Currently, the Malnutrition Screening allows users to bypass remaining screening questions after answering 'Yes' to *Recent weight loss without trying*. This results in inaccurate and incomplete malnutrition screening, potentially missing patients that may need further evaluation. The update will require the remaining fields be answered if a 'Yes' is entered for *Recent weight loss without trying*.

Health History Assessment

Recent weight loss without trying:

- 1 Yes
- 2 No
- 3 Unknown

- Nutrition Screening -

Click below to default system normal values

DFT Norms

DFT Norms (Go to Next System)

Recent weight loss without trying: Yes

How much weight have you lost: *

Eating poorly due to decreased appetite: *

Malnutrition screen tool score: 0 - Not at risk

(Prev Page) (Next Page)

If 'Yes' is selected to *Recent weight loss without trying* then the following fields become **required***:

- How much weight have you lost
- Eating poorly due to decreased appetite

An accurate Malnutrition score will populate once all **required*** fields are documented.

Health History Assessment

Eating poorly due to decreased appetite:

- 1 Yes
- 2 No

Recent weight loss without trying: *

How much weight have you lost: 14-23 lb *

Eating poorly due to decreased appetite: No *

Malnutrition screen tool score: 2 - Malnutrition risk

(Prev Page) (Next Page)

This update affects the following interventions:

Nursing	Emergency Department	Surgery
Admission Health History	General Focus	SURG: Admission Health History
BH: Health History Assessment	Non-Urgent	
BH: Outpatient Nutrition Assessment	Paramedic Intake	

Oncology Distress Screening



The **Oncology Distress Screening** intervention is outdated and being updated to align with the current version of the National Comprehensive Cancer Network (NCCN) Distress Thermometer and Problem List.

Oncology Distress Screening

Practical concerns in the past week: [or free text]

1 <input type="checkbox"/> Access to medicine	7 <input type="checkbox"/> Safety	13 <input type="checkbox"/> Work
2 <input type="checkbox"/> Childcare	8 <input type="checkbox"/> School	
3 <input type="checkbox"/> Finances	9 <input type="checkbox"/> Taking care of myself	
4 <input type="checkbox"/> Having enough food	10 <input type="checkbox"/> Taking care of others	
5 <input type="checkbox"/> Housing/utilities	11 <input type="checkbox"/> Transportation	
6 <input type="checkbox"/> Insurance	12 <input type="checkbox"/> Treatment decisions	

Type of cancer: → Cervical

Currently being treated for cancer: → Yes

Overall level of distress in the past week: → 4

Practical concerns in the past week: →

Social concerns in the past week: →

Emotional concerns in the past week: →

(Next Page) ☐

Practical concerns in the past week has been updated with the following responses:

- Access to medicine
- Childcare
- Finances
- Having enough food
- Housing/utilities
- Insurance
- Safety
- School
- Taking care of myself
- Taking care of others
- Transportation
- Treatment decisions
- Work
- Free text

Oncology Distress Screening

Social concerns in the past week: [or free text]

1 <input type="checkbox"/> Ability to have children	7 <input type="checkbox"/> Relation with friends
2 <input type="checkbox"/> Healthcare communication	
3 <input type="checkbox"/> Prejudice/discrimination	
4 <input type="checkbox"/> Relation spouse/partner	
5 <input type="checkbox"/> Relation with children	
6 <input type="checkbox"/> Relation with family	

Type of cancer: → Cervical

Currently being treated for cancer: → Yes

Overall level of distress in the past week: → 4

Practical concerns in the past week: →

Social concerns in the past week: →

Emotional concerns in the past week: →

(Next Page) ☐

Social concerns in the past week, formerly *Family concerns*, has been updated with the following responses:

- Ability to have children
- Healthcare communication
- Prejudice/discrimination
- Relation spouse/partner
- Relation with children
- Relation with family
- Relation with friends
- Free text

Oncology Distress Screening

Emotional concerns in the past week: [or free text]

1 <input type="checkbox"/> Anger	7 <input type="checkbox"/> Loss of interest
2 <input type="checkbox"/> Changes in appearance	8 <input type="checkbox"/> Sadness or depression
3 <input type="checkbox"/> Fear	9 <input type="checkbox"/> Worry or anxiety
4 <input type="checkbox"/> Feelings of worthlessness	
5 <input type="checkbox"/> Grief or loss	
6 <input type="checkbox"/> Loneliness	

Type of cancer: → Cervical

Currently being treated for cancer: → Yes

Overall level of distress in the past week: → 4

Practical concerns in the past week: →

Social concerns in the past week: →

Emotional concerns in the past week: →

(Next Page) ☐

Emotional concerns in the past week has the following responses:

- Anger
- Changes in appearance
- Fear
- Feelings of worthlessness
- Grief or loss
- Loneliness
- Loss of Interest
- Sadness or depression
- Worry or anxiety
- Free text

Oncology Distress Screening

Spiritual/religious concerns in the past week: [or free text]

1 <input type="checkbox"/> Change in faith/beliefs
2 <input type="checkbox"/> Conflict with treatment
3 <input type="checkbox"/> Death/dying/afterlife
4 <input type="checkbox"/> Relation with the sacred
5 <input type="checkbox"/> Ritual or dietary needs
6 <input type="checkbox"/> Sense of meaning/purpose

Spiritual/religious concerns in the past week: →

Physical concerns in the past week: →

Oncology distress comment:

(Prev Page) ☐ (End) ☐

Spiritual/religious concerns in the past week has the following responses:

- Change in faith/beliefs
- Conflict with treatment
- Death/dying/afterlife
- Relation with the sacred
- Ritual or dietary needs
- Sense of meaning/purpose
- Free text

Oncology Distress Screening

Physical concerns in the past week: [or free text]

1 <input type="checkbox"/> Changes in eating	7 <input type="checkbox"/> Sleep
2 <input type="checkbox"/> Fatigue	8 <input type="checkbox"/> Substance use
3 <input type="checkbox"/> Loss/change of abilities	9 <input type="checkbox"/> Tobacco use
4 <input type="checkbox"/> Memory/concentration	
5 <input type="checkbox"/> Pain	
6 <input type="checkbox"/> Sexual health	

Spiritual/religious concerns in the past week: →

Physical concerns in the past week: →

Oncology distress comment:

(Prev Page) ☐ (End) ☐

Physical Concerns in the past week has been updated from physical/medical concerns and now has the following responses:

- Changes in eating
- Fatigue
- Loss/change of abilities
- Memory/concentration
- Pain
- Sexual health
- Sleep
- Substance use
- Tobacco use
- Free text

Oncology Distress Screening continued

This update affects the following interventions/assessments:

Nursing	Emergency Department	Surgery
Oncology Distress	Detailed Assessment	SURG: Admission Health History
BH: Health History Assessment	Non-urgent General Focus	
Admission Health History	Paramedic Intake	

Restraints Initiative Update



Inappropriate restraint utilization has heightened regulatory risk with inconsistent practices and outcomes for managing restraints effectively. As part of the 2025 Strategic Priorities, we have identified ways to drive appropriate restraint utilization by optimizing both the ordering of restraints and the subsequent nursing documentation.

Ordering Restraints Process

Enter/Edit Responses : RESTRAINTS ORDER *Current*

Procedure Ordered
RESTRAINTS ORDER *Current*

Order Phase:

- 1 Initial
- 2 Renewal

Order Phase: *

Level of restraint: *

<6 Page Screen>

Ok Cancel Help Prev Next

In the **RESTRAINTS ORDER** the first **required*** field is the **Order Phase**: with the following response options:

- Initial
- Renewal

Note: An error message will occur if the **Order Phase** of 'Renewal' is selected in the absence of a current 'Initial' Restraint Order.

Enter/Edit Responses : RESTRAINTS ORDER *Current*

Procedure Ordered
RESTRAINTS ORDER *Current*

Level of restraint:

- 1 Non-violent
- 2 Violent/self-destructive

Order Phase: Initial *

Level of restraint: *

<6 Page Screen>

Ok Cancel Help Prev Next

The **Level of restraint** is a **required*** field with the following response options:

- Non-violent
- Violent/self-destructive

Note: The yellow information box will continue to display any Active Nursing Documentation on file throughout the ordering process.

Enter/Edit Responses : RESTRAINTS ORDER *Current*

Procedure Ordered
RESTRAINTS ORDER *Current*

Non-violent restraint device:

<input type="checkbox"/> 1 Bedrails	<input type="checkbox"/> 5 Geri-chair	No Active Nursing Documentation on File.
<input type="checkbox"/> 2 Chemical	<input checked="" type="checkbox"/> 6 Mitten +	
<input type="checkbox"/> 3 Enclosure	<input type="checkbox"/> 7 Soft +	
<input type="checkbox"/> 4 Freedom splints +	<input type="checkbox"/> 8 Waist	

Non-violent restraint device:
Mitten BUE *

Non-violent Restraint Time Limit
24 hours *

Ok Cancel Help <6 Page Screen> Prev Next

If 'Non-Violent' *Level of restraint* is selected, the user will be directed to the approved *Non-violent restraint device* selection types.

Non-violent Restraint Time Limit will pre-populate 24 hours for Order Phase of Initial and 1 Calendar Day for Order Phase of Renewal.

Note: Restrictive positioning and Tightly tucked sheets are no longer approved Non-violent restraint devices.

Enter/Edit Responses : RESTRAINTS ORDER *Current*

Procedure Ordered
RESTRAINTS ORDER *Current*

Violent restraint device:

<input checked="" type="checkbox"/> 1 Chemical	<input type="checkbox"/> 5 Seclusion	No Active Nursing Documentation on File.
<input type="checkbox"/> 2 Enclosure	<input type="checkbox"/> 6 Soft +	
<input type="checkbox"/> 3 Physical holding	<input type="checkbox"/> 7 Synthetic +	
<input type="checkbox"/> 4 Restrictive positioning		

Violent restraint device:
Chemical *

Violent Restraint Time Limit
4 hours *

Ok Cancel Help <6 Page Screen> Prev Next

If 'Violent/self-destructive' *Level of restraint* is selected, the user will be directed to the approved *Violent restraint device* selection types.

Violent Restraint Time Limit will pre-populate 4 hours for both the Order Phase of Initial and Order Phase of Renewal for adult patients.

Note: Bedrails, Freedom splints, Geri-chair, Mittens, Seclusion/restraint, Tightly tucked sheets, and Waist are no longer approved Violent restraint devices.

Enter/Edit Responses : RESTRAINTS ORDER *Current*

Procedure Ordered
RESTRAINTS ORDER *Current*

Clinical justification:

<input type="checkbox"/> 1 NV-Attempts remove device	<input type="checkbox"/> 5 V-Combative	No Active Nursing Documentation on File.
<input type="checkbox"/> 2 NV-Handle wound/dressings	<input type="checkbox"/> 6 V-Destructive	
<input type="checkbox"/> 3 NV-OOB extreme inj risk	<input type="checkbox"/> 7 V-Physical aggression	
<input type="checkbox"/> 4 V-Attempts self-harm		

Clinical justification: *

Ok Cancel Help <6 Page Screen> Prev Next

Clinical justification is a required field.

For *Non-violent* (NV) level of restraint, the following justifications may be selected:

- NV-Attempts remove device
- NV-Handle wound/dressings
- NV-OOB extreme inj risk

For *Violent* (V) level of restraint, the following justifications may be selected:

- V-Attempts self-harm
- V-Combative
- V-Destructive
- V-Physical aggression

Note: An Error message will occur if the user selects a **Violent (V)** justification for a **Non-Violent Level of restraint** and if a **Non-violent (NV)** justification is selected for a **Violent Level of restraint**.

Procedure Ordered
RESTRAINTS ORDER *Current*

☒ Criteria for release of restraints is met when patient stops:

1 ☐ NV-Attempts remove device
2 ☐ NV-Handle wound/dressings
3 ☐ NV-OOB extreme inj risk
4 ☒ V-Attempts self-harm

Criteria for release of restraints is met when patient stops:
V-Attempts self-harm *

Ok Cancel Help <6 Page Screen Prev Next

The response entered for *Clinical Justification* will default into the *Criteria for release of restraints is met when patient stops* response field.

Additional responses can be selected; however, an Error message will occur if the user selects a Violent (V) Criteria for a Non-Violent Level of restraint and if a Non-violent (NV) Criteria is selected for a Violent Level of restraint.

NURSING DOCUMENTATION

Restraint Documentation

☒ Level of restraint:

1 Non-violent
2 Violent/self-destructive

Physician order:

Click box to display previous status documentation ->

Restraint status: Start *

Level of restraint: *

Non-violent restraint device: *

Violent restraint device: *

Clinical justification: *

Alternatives utilized: *

Date restraints initiated: *

Time restraints initiated: *

(Next Page)

In the **Restraint Documentation +** intervention, *Restraint status* and *Level of restraint* are **required*** fields.

The available *Level of restraint* responses are:

- Non-violent
- Violent/self-destructive

Restraint Documentation

☒ Non-violent restraint device:

1 ☒ Bedrails
2 ☐ Chemical
3 ☐ Enclosure
4 ☐ Freedom splints +
5 ☐ Geri-chair
6 ☐ Mitten +

7 ☐ Soft +
8 ☐ Waist

Physician order from 05/22/25 at 0606: Bedrails

Click box to display previous status documentation ->

Restraint status: Start *

Level of restraint: Non-violent *

Non-violent restraint device: Bedrails *

Violent restraint device: *

Clinical justification: *

Alternatives utilized: *

Date restraints initiated: *

Time restraints initiated: *

(Next Page)

If 'Non-violent' *Level of restraint* is selected, the user will be directed to the *Non-violent restraint device* field with approved selection types.

The yellow information box will continue to display any Physician order information throughout the documentation process.

Note: Restrictive positioning and Tightly tucked sheets are no longer approved Non-violent restraint devices.

Restraint Documentation

Violent restraint device:

1 ☐ Chemical 7 ☐ Synthetic +

2 ☒ Enclosure

3 ☐ Physical holding

4 ☐ Restrictive positioning

5 ☐ Seclusion

6 ☐ Soft +

Click box to display previous status documentation ->

Restraint status: >Start *

Level of restraint: >Violent/self-destructive *

Non-violent restraint device: >

Violent restraint device: >Enclosed *

Clinical justification: >

Alternatives utilized: *

Date restraints initiated: *

Time restraints initiated: *

(Next Page) ☐

If 'Violent/self-destructive' *Level of restraint*: is selected, the user will be directed to the *Violent restraint device* field with approved selection types.

Note: Bedrails, Freedom splints, Geri-chair, Mittens, Seclusion/restraint, Tightly tucked sheets, and Waist are no longer approved Violent restraint devices.

Restraint Documentation 05/22 0952 J00021474493 LCOE,PATIENT

Clinical justification:

1 ☒ NV-Attempts remove device 7 ☐ V-Physical aggression

2 ☐ NV-Handle wound/dressings

3 ☐ NV-OOB extreme inj risk

4 ☐ V-Attempts self-harm

5 ☐ V-Combative

6 ☐ V-Destructive

Click box to display previous status documentation ->

Restraint status: >Start *

Level of restraint: >Non-violent *

Non-violent restraint device: >Bedrails *

Violent restraint device: >

Clinical justification: >Attemptrem *

Alternatives utilized: *

Date restraints initiated: *

Time restraints initiated: *

(Next Page) ☐

Clinical justification is a required field.

For *Non-violent* (NV) level of restraint, the following justifications may be selected:

- NV-Attempts remove device
- NV-Handle wound/dressings
- NV-OOB extreme inj risk

For *Violent* (V) level of restraint, the following justifications may be selected:

- V-Attempts self-harm
- V-Combative
- V-Destructive
- V-Physical aggression

Note: An Error message will occur if the user selects a **Violent (V)** justification for a '**Non-Violent**' *Level of restraint* and if a **Non-violent (NV)** justification is selected for a '**Violent**' *Level of restraint*.

Restraint Documentation

Alternatives utilized:

1 <input type="checkbox"/> 1:1 discussion	7 <input type="checkbox"/> Check lab values	13 <input type="checkbox"/> Music/television
2 <input type="checkbox"/> Additional warmth	8 <input type="checkbox"/> Decr stim/decr noise	14 <input type="checkbox"/> Night light
3 <input type="checkbox"/> Assisted ambulation	9 <input type="checkbox"/> Decrease temperature	15 <input type="checkbox"/> Nutrition/hygiene
4 <input type="checkbox"/> Bed alarm	10 <input type="checkbox"/> Diversion activity	16 <input type="checkbox"/> Orientation
5 <input type="checkbox"/> Call light within reach	11 <input type="checkbox"/> Family interaction	17 <input type="checkbox"/> PRN med per tx plan
6 <input type="checkbox"/> Change environment	12 <input type="checkbox"/> Interpreter services	18 <input checked="" type="checkbox"/> or <F9> For More Options

Click box to display previous status documentation ->

Restraint status:>Start *

Level of restraint:>Violent/self-destructive *

Non-violent restraint device:>

Violent restraint device:>Enclosure

Clinical justification:>U-Destructive

Alternatives utilized:>Toileting

Date restraints initiated: * *

Time restraints initiated: *

Alternatives utilized: Lookup

Select ☐

Options

1 ☒ Toileting

2 Voluntary time out

In the *Alternatives utilized* field, "Commode at bedside" has been removed from the list of responses and 'Toileting' has been added.

Note: Toileting can be found in the '<F9> For More Options' response.

Restraint Documentation

Safety/Rights/Dignity maintained verified:

1 Done now

2 Three times every hour

3 Every 15 minutes per hour

Done now - use to document each observation in real time, three times every hour.

For patients under continuous or frequent in-person observation or continuous audio/video monitoring, or if a paper checklist is used and scanned into the EHR/HPF medical record, the following may be used:

Three times every hour

Every 15 minutes per hour

Safety/Rights/Dignity maintained verified:>

Alternatives attempted:

(Prev Page) ☐

(Next Page) ☐

The *Safety/Rights/Dignity maintained verified*: yellow information box has been updated to align with HCA restraint policy.

For patients under continuous or frequent in-person observation or continuous audio/video monitoring, or if a paper checklist is used and scanned into the EHR/HPF medical record, the following may be used:

- Three times every hour
- Every 15 minutes per hour

Circumstances leading to restraint/seclusion incident:

1 ☐ NV-Attempts remove device

2 ☐ NV-Handle wound

3 ☐ NV-DOB extreme

4 ☒ U-Attempts self-harm

5 ☐ U-Combative

6 ☐ U-Destructive

'NV-Attempts remove device' is not an appropriate response for documented restraint level.

Ok

Circumstances leading to restraint/seclusion incident:>U-Attempts self-harm

Recommendations for future interventions:

Post counseling provided to: *

Debriefing Comment:

(End) ☐

Violent episodes allow documentation of debriefing when Discontinued.

Circumstances leading to restraint/seclusion event will default the documented response to the Clinical justification filed with the Start.

This is editable but will not allow the addition of NV selections.

Suicide Risk Detail Assessment (SRDA) Field Updates



To support regulatory documentation requirements, the Suicide Risk Detailed Assessment (SRDA) has been updated to include 'None' in several field response options. This update will reduce the need for free text and improve compliance with completion.

The screenshots illustrate the updated SRDA form. The top window shows the 'Most severe suicidal ideation in past month: [or free text]' field with 'None' selected. The middle window shows the 'Suicidal and self-injurious behavior in past 3 months: [or free text]' field with 'None' selected. The bottom window shows the 'Most severe suicidal ideation in past month: [or free text]' field with 'None' selected, and the 'Most severe suicidal ideation in past month details:' field is visible below it. Navigation buttons '(Prev Page)' and '(Next Page)' are at the bottom.

The field response of 'None' has been added to the following fields:

- Suicidal and self-injurious behavior in past 3 months
- Suicidal and self-injurious behavior in lifetime
- Most severe suicidal ideation in past month fields

If 'None' is selected then the Details sections will be skipped.

Note: An error message will occur if the user combines 'None' and the other response(s) will be removed.

This update affects the following interventions:

Nursing	Emergency Department	Surgery
BH: Level of Care Assessment +	Detailed Risk Assessment	SURG: Safety/Risk/Regulatory +
BH: Initial Nurse Assessment (INA) +	BH Level of Care Assessment	SURG: Safety/Risk/Regulatory Int +
BH: Psychosocial Assessment (PSA) +	Suicide Risk Detail Assessment	SURG: Safety/Risk/Regulatory PAC +
BH: RN Reassessment +	Suicide/Homicide Screening	
BH: Suicide/Homicide Screen +	Suicide/Homicide Rescreening	
BH: Outpatient Initial Nurse Assessment+		
BH: Suicide Risk Detail Assessment +		
Safety/Risk/Regulatory		

Suicide Screening Functionality Update



Currently, if the clinician exits the suicide screening without completing documentation, it appears as if the screening was completed, as it retains 'Yes' in the *Assess suicide screening* field. This results in no-risk level being assigned or reported to the provider and is a potential safety concern for patients.

To reduce the potential safety concerns, if the clinician exits the Suicide Screening/Rescreening screen without completing documentation, nothing will display in the field.

The screenshot displays the 'Safety/Risk/Regulatory' window with the 'Assess suicide screening' section. The 'Assess suicide screening' field is highlighted with a red box. Below it, the 'Assess BH Suicide/Homicide Screening' window is open, showing the 'Non-specific active suicidal thoughts in the past month' section. The 'Assess suicide screening' field is also highlighted with a red box. An 'Erasing Documentation Alert' dialog box is overlaid on the screen, asking the user to confirm if they want to exit the screen. The dialog box contains the following text:

*** ATTENTION ***
 *** Erasing Documentation Alert ***

Exiting from this screen will cause the values of any questions you have answered on this screen to be erased

Are you sure you want to exit this screen?

Exit and Erase Return to Screen

Selecting 'Yes' to the *Assess suicide screening* field will direct the user to the **BH Suicide/Homicide Screening** documentation screen.

If the clinician decides to exit the suicide screening prior to completing the documentation, an alert will appear to 'Exit and Erase' to return to the main screen or "Return to Screen" to complete required documentation.

Safety/Risk/Regulatory

Assess Broset violence screening:

1 Yes

Isolation status: Standard precautions *

Assess sepsis: ☐

Assess vaccines: ☐

Assess adult skin risk: ☐

Assess pediatric skin risk: ☐

Assess fall risk: ☐

Assess suicide screening: ☐

Assess Broset violence screening: ☐

Assess trauma alcohol screening (CAGE): ☐

Assess depression screening: ☐

(End) ☐

The *Assess suicide screening* field will now be blank and the system will move the cursor to the next field if the clinician exits the screening prior to completing the screening.

This update affects the following interventions:

Nursing	Emergency Department	Surgery
BH: OP Initial Nurse Assessment+	Detailed Assessment	SURG: Safety/Risk/Regulatory PAC +
BH: Initial Nurse Assessment (INA) +	BH Level of Care Assessment	SURG: Safety/Risk/Regulatory +
BH: Nursing Reassessment	Non-Urgent General Focus	SURG: Safety/Risk/Regulatory Int +
BH: Psychosocial Assessment (PSA) +		
BH: Level of Care Assessment +		
Safety/Risk/Regulatory +		