


Mission Cerner Helpful Hints



CareCompass Pt List

Athens, Jade B

Age: 1 years Sex: Female Isolation: Standard Precautions Location: Med Surg MRN: 1010190
 Code Status: Unknown DOB: 01/05/1967 Clinical Trial: No Attending: Test, Physician Observation: No Acct: 10101901
 Allergies: penicillins Date of Birth: 01/05/1967 Date: 12/29/2017 00:00:00 D/C Date: <No - D... XDocsError

Log off AdHoc Scanning Meds Pt DC Process Pt Education

Menu Navigation buttons

REFRESH

Order Name	Status	Details
Activity		
Ambulate	Ordered	Routine, 12/29/17 7:53:00 CST, BID
Patient Care		
Blood Glucose by Nursing	Ordered	Routine, 12/29/17 7:53:00 CST, BID, for 0 0
Braden Scale Assessment	Ordered	12/21/17 6:22:29 CST, Q Shift Timed 12hr Order entered secondary to admission
Interdisciplinary Patient Education	Ordered	12/21/17 6:22:29 CST, Q Shift Timed 12hr Order entered secondary to admission
Morse Fall Risk Assessment	Ordered	12/21/17 6:22:29 CST, Q Shift Timed 12hr Order entered secondary to admission
Order Entry Details	Ordered	12/21/17 6:22:30 CST, Q Shift Timed 12hr Order entered secondary to admission
Review Interdisciplinary CarePlan	Ordered	12/21/17 6:22:31 CST, Q Shift Timed 12hr Order entered secondary to admission
Self Harm Risk Assessment	Ordered	Routine, 12/21/17 6:22:30 CST, Q24hr Order entered secondary to admission
Sepsis Screening	Ordered	12/21/17 6:22:30 CST, Q Shift Timed 12hr Order entered secondary to admission
Admission History Adult	Ordered	Routine, 12/21/17 6:22:29 CST, Once Schedule Order entered secondary to admission
Continuous Infusions		
DOPamine IV additive 400 mg [5.00 mcg/kg...	Ordered	250 mL, IV Infuse over 16.3 hr, Rate = 15.38 mL ALERT: look-a-like / sound-a-like. Often confu
dextrose 5% in water 500 mL	Ordered	500 mL, IV Infuse over 4 hr, Rate = 125 mL/hr, 01/02/18 13:30:00 CST
Medications		
cefTRIAxone (Rocephin)	Ordered	1 g = 50 mL, IV Soln, IV Piggyback, Daily, Indic NOT to be administered simultaneously with
digoxin (Lanoxin)	Ordered	250 mcg = 1 tab, Tab, Oral, Daily, Start date 01 MAY INCREASE RISK OF FALLS
furosemide (Lasix)	Ordered	40 mg = 1 tab, Tab, Oral, BID, Start date 01/02,

Patient List- For your location or a custom list

CareCompass- Overview of your patient orders and tasks status

MAR- List of patient meds. Medication Administration- Scanning meds to be given.

AdHoc- Additional Unit specific forms

IView and I&O- Documentation of Care (ex: Physical Assessment, I/O, IVs, and Wounds). Task List- List of tasks to be completed.

Pt Education- Printable education (ex: Heart Attack).

Discharge Workflow- Discharge process.

REFRESH, REFRESH, REFRESH



Orders Icons

	Active order – you can click on the tick to quickly discontinue this order
	Inactive order – this order has been discontinued
	Favourites folder
	Indicates that the order has an associated comment
	Reference Text- Indicates that reference information is associated to the order.
	Order waiting verification by pharmacist
	Order rejected by pharmacist
	Indicates an ambulatory order when orders are grouped by clinical category or order start date
	Order Details Not Complete - Indicates that there are required order details that have not been completed for the orderable. You can click on this icon and will be directed to the incomplete details
	Next missing required detail – switches to the next detail
	Dose Calculator - Launches the dose calculator.
	Taper dosing – Launch the taper dose window to increment/decrement the dose in a linear mode. Only works for inpatient orders
	High alert medication – Medication is associated with a high level of risk when prescribed for
	Physician Cosign- Indicates that physician cosign is required for the order
	Review schedule – the schedule for this order should be reviewed as doses may be too close
	Nurse Review- Indicates that a nurse has not reviewed the new order
	Non-LAM medication

Order Type Icons

	Documented home medication
	Ambulatory order – order for administration in an outpatient clinic
	Indicates an inpatient order when orders are grouped by clinical category or order start date
	Order from a discharge script
	Indicates that the order is part of a PowerPlan
	Care Sets- Indicates a care set orderable.

PowerPlan Icons

	Merge view – Show other orders for the patient in the order set window
	Initiate – initiate a PowerPlan
	View excluded components – Show the orders which haven't been ordered from the Powerplan
	Add to phase – select the icon to add an order to the current phase of the PowerPlan
	Indicates a note in a PowerPlan

MAR Icons


	Overdue task
	Order waiting verification by pharmacist
	Order rejected by pharmacist
	Priority/urgent task
	Order Details Not Complete - Indicates that there are required order details that have not been completed for the documentation.
	Additional charting elements – Click on the icon to complete eg. Pain score, BGL
	Task ready
	Interval warning – indicates the system was unable to evaluate the medication interval
	Inactive order
	Order has reached it's scheduled end
	Task due NOW

CareCompass Icons

	View new results and order
	New urgent order/critical result
	Patient Care Activity
	Assessment Activity
	Medication Activity
	Other Activity

PowerChart Icons

	Managing deterioration - Rapid response Criterion Present		
	Managing deterioration - Clinical Review Criterion Present		
	Alert Suspended		Sign documentation
	Change task Documentation Time		Cancel documentation
	No items Found		Select to create a dynamic group
	Outcomes/goals in interdisciplinary plans of care		Clinical Calculator - Launches a clinical calculator.
	No Quality Measures Met		Collapse/Expand Navigator
	At least One Quality Measure Met		Split window – use to split iview into 2 segments so results from 2 different bands can be displayed
	All Quality Measures Met	Blue text	Hyperlink – select to read reference text
	Immediate priority		Conditional field trigger – indicates that the field contains reference material
	Filter Collections		Conditional - field
	Rotate Left		Collapse/Expand
	Rotate Right		Flag – the charted result has been flagged
	Inpatient Orders		Comment – icon in the top right corner of the cell indicates that the cell has comments attached. Hove over the cell to view the comments
	View Excluded Components		Modified - indicates that the charted result has been modified
	Chevron		Insert date/time - click to insert a new column
	Non-Critical New Information		Customise view: use to customise the iview bands to individual preferences
	Critical Results		
	High Risk Alert		
	Isolation/Cytotoxic precautions		



* See Nursing Policy 1NR.NSA.0001 "Documentation and Guidelines for Practice" for details & variations in level of care/ population. This is only a guide.

- Document as soon as possible after obtaining patient data: VS & assessments
- Review Peratrend with changes in patient condition; document notifications
- Document response to interventions