## MEDITECH Expanse TIP SHEET Maternal History



Maternal blood type Maternal antibody screen Maternal Rh type Maternal Rho (D) immune globulin this pregnancy Maternal rubella Maternal rubella Maternal RPR/VDRL Maternal HIV Maternal HIV Maternal HIV Maternal hepatitis C Maternal hepatitis C Maternal gnoorrhea Maternal chlamydia Maternal chlamydia	Unknown       Type A       Type AB       Type B       Type O         Unknown       Negative       Positive         Unknown       Rh negative       Rh positive         Unknown       Requivocal       Immune       Non-immune       Susceptible         Unknown       Negative       Positive       Unknown       Negative       Positive         Unknown       Negative       Positive       Outschool       Non-immune/seroconversion       Negative       Positive         Unknown       Negative       Positive       Not done       Internetly negative       Currently being treated       History of not treated         Unknown       Ingative       Currently unknown       History of not treated       Currently positive       Currently negative         Currently positive       Currently unknown       History of not treated       Currently positive       Currently heing treated       History of not treated         Currently negative       Currently unknown       History of treated       Currently positive       Currently heing treated       History of treated         Currently negative       Currently unknown       History of not treated       Currently positive       Currently unknown         Currently positive       Currently unknown       History of not treated	Addition of "Maternal hepatitis C" and "Maternal HPV" queries in interventions with a Maternal History section.
Maternal HPV	reated  Currently unknown History of not treated History of treated	
Mo Other complications of prior pregnancies Prenatal care this pregnancy Maternal blood type Maternal Rh type Maternal Rh type Maternal rubella Maternal rubella Maternal RPR/VDRL Maternal HV Maternal HV Maternal HV Maternal HV Maternal group B strep	de Hide rext Prest Andrew + x ↔ 12:37 by M18 Control Prest Hide Prest Hid	Rearranging the responses in the "Maternal History HIV" query. "Immune/Seroconversion" response will now be last group response (previously was second group response).
✓ Maternal Serologies         Maternal blood type         Unknown       Type A         Maternal Rh type         Unknown       Rh negative         Maternal hepatitis B         Unknown       Negative         Maternal RPR/VDRL         Unknown       Nonreactive         Maternal HIV         Unknown       Negative         Maternal HIV		Tesponse).

## Expanse Order Enhancements



Wound Care

Changes go in effect 06/18/2025

The **Wound Care** order (WOUNDCAREN.COM) will have a new screen (HCAOMWNDCAR0001) to allow for more clarity with multiple, complicated wounds, including burns. These changes were made in collaboration with the Wound and Burn Service Lines and the Provider Product teams.

		Number of Wounds:
O∃ ∨ Wound Care		
Number of wound(s)		Works the same way as
Location	2 Wounds 3 Wounds 4 Wounds	current. Options 1-10. If 2 or more wounds is selected,
Cleanse with	· · · · · · · · · · · · · · · · · · ·	
Dressing/Treatment (closest to wour	nd)	more queries populate.
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency	· · · · · · · · · · · · · · · · · · ·	
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency	· · · · · · · · · · · · · · · · · · ·	
Re-saturation/soak instructions		
Additional instructions		

●∃ ✔ Wound Care		Location:
Number of wound(s)		Works the same way as
Location	Left arm Left leg Right arm, Right leg, Back	current. Free Text. If more than one wound has same
Cleanse with		dressings, can enter
Dressing/Treatment (closest to wound)		multiple areas (vertically or
Dressing/Treatment (layer 2)		horizontally).
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		
● Wound Care	[	Cleanse with: (Can select multiple.)
		Wound cleanser
Location		Normal saline
		Sterile water
		Chlorhexidine gluconate
Cleanse with		Hydrogen peroxide
Dressing/Treatment (closest to wound)	Wound cleanser	Hypochloric solution
Dressing/Treatment (layer 2)	Sterile water	Povidone iodine
Dressing/Treatment (layer 3)	Chlorhexidine gluconate	Other
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated		
	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



O∃ ✓ Wound Care		Cleanse with:
Number of wound(s) Location		If "Wound cleanser" is selected, another query of
Cleanse with	Wound cleanser	"Type of wound cleanser" populates for specifics (if needed).
Type of wound cleanser		Free text.
Dressing/Treatment (closest to wound)		Not required.
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



<b>⊕</b> ∃ <b>∨</b> Wound Care		Cleanse with:
Number of wound(s) Location	Other	If "Other" is selected, another query of "Other cleanse with" populates. Free text. Required.
* Other cleanse with		
Dressing/Treatment (closest to wound)		
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



DE 🗸 Wound Care		
	-,	
Number of wound(s)		Dressing/Treatment: Free Text
Location		Fiee Text
		Closest to wound
Cleanse with		Layer 2
Dressing/Treatment (closest to wound)		Layer 3
Dressing/Treatment (layer 2)		Layer 4
Dressing/Treatment (layer 3)		Layer 5
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



Wound Care		Dressing change frequency:
lumber of wound(s)		inequency.
ocation		BID Daily Q4 hours Q8 hours
leanse with		Q12 hours
pressing/Treatment (closest to wound)		Q24 hours Q48 hours
pressing/Treatment (layer 2)		Q3 days
pressing/Treatment (layer 3)		Q7 days Mon/Wed/Fri
Pressing/Treatment (layer 4)		Tues/Thu/Sat
Pressing/Treatment (layer 5)		Mon/Thu Tues/Fri
ressing change frequency		Other
lay change PRN if soiled/saturated	BID Daily	
einforce dressing if required	Q4 hours Q8 hours	
e-saturation/soak frequency	012 hours	
e-saturation/soak instructions		
dditional instructions		



<b>⊕</b> ≣ <b>∨</b> Wound Care		Dressing change
Number of wound(s)		frequency:
Location		If "Other" is selected, another query of "Other
Cleanse with		frequency" populates.
Dressing/Treatment (closest to wound)		Free text. Required.
Dressing/Treatment (layer 2)		rtequireu.
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency	Other	
* Other frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



Number of wound(s)     soiled/saturated:       Location     Yes/No	
Cleanse with Reinforce dressing if	
Dressing/Treatment (closest to wound)	
Dressing/Treatment (layer 2)	
Dressing/Treatment (layer 3)	
Dressing/Treatment (layer 4)	
Dressing/Treatment (layer 5)	
Dressing change frequency	
May change PRN if soiled/saturated Yes No	
Reinforce dressing if required Yes No	
Re-saturation/soak frequency	
Re-saturation/soak instructions	
Additional instructions	



O∃ ∨ Wound Care	-,	Re-saturation/soak frequency:
Number of wound(s)		incquency.
Location		Q4 hours Q6 hours Q8 hours
Cleanse with		Q12 hours Other
Dressing/Treatment (closest to wound)		
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions	Q4 hours	
Additional instructions	Q8 hours Q12 hours Other	



❶∃ ✔ Wound Care	-,	Re-saturation/soak frequency:
Number of wound(s)		
Location		If "Other" is selected, another query of "Other re- saturation/soak frequency" populates.
Cleanse with		
Dressing/Treatment (closest to wound)		Free text.
Dressing/Treatment (layer 2)		Required.
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency	Other	
* Other re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



≣ ✔ Wound Care		Re-saturation/soak
		instructions:
Number of wound(s)		Free Text
Location		
Cleanse with		
Dressing/Treatment (closest to wound)		
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



●E ∨ Wound Care	Additional instructions:	
Number of wound(s)		Free Text
Location		
Cleanse with		
Dressing/Treatment (closest to wound)		
Dressing/Treatment (layer 2)		
Dressing/Treatment (layer 3)		
Dressing/Treatment (layer 4)		
Dressing/Treatment (layer 5)		
Dressing change frequency		
May change PRN if soiled/saturated	Yes No	
Reinforce dressing if required	Yes No	
Re-saturation/soak frequency		
Re-saturation/soak instructions		
Additional instructions		



## Expanse TIP SHEET Jail Form



Return To Toose Discharge Plan			Con I - Darbag	There will be a jail form available for patients being discharged to police
Other signs/symptoms to not	Forms test,adrienne (	) 49 F 08/07/1975 Allergy/Adv: gabapentin, clopidogrel		custody
Wound/dressing care			EDIT ADD	
1	Search By A	BEHAVIORAL HEALTH DISCHARGE		
Additional Instructions		CARE ASSURE		
Follow Up Appointment		INFANT SECURITY COMPETENCY		
Discharge location / Resou		JAIL FORM		
and any reason of reasons		MT L&D TEST FORM		
Other discharge location/res		MT TEST		
Stand Alone Forms		MY HEALTH ONE		
2010		NEWBORN DISCHARGE FORM		
Patient Education		PEDIATRIC ASTHMA ACTION PLAN		
Patient Education and Monograph		SUICIDE PREVENTION RESOURCES		
Nursing Interventions		TEST DC SUICIDE		
		TRAUMA INCIDENTAL FINDINGS		
*Discharge Date/Time (Requir	nid)			
Today/Now				
				The following fields
				will be available for
JAIL FORM			~	free text entry
Patient presented with complaint of:				
The patient was treated with:				
Patient should continue receiving the following	ng treatment:			I