

# MEDITECH Expanse TIP SHEET

## Operative Delivery Details

### Mother's Delivery Details:

Mon Dec 1 12:43 by MJB	
Second person completing count Count comments	
Delivery Details	
Delivery type	<input type="radio"/> Cesarean section <input checked="" type="radio"/> Vaginal delivery
Delivery date	12/01/25
Delivery time	12:43
Duration of labor	2.5 hours
Sex	<input type="radio"/> Ambiguous <input checked="" type="radio"/> Female <input type="radio"/> Male
Delivery presentation	<input type="checkbox"/> Breech <input type="checkbox"/> Brow <input type="checkbox"/> Compound <input type="checkbox"/> Face <input type="checkbox"/> Funic <input type="checkbox"/> Occiput anterior <input type="checkbox"/> Occiput posterior <input checked="" type="checkbox"/> Occiput transverse <input type="checkbox"/> Vertex <input type="checkbox"/> Other
Other delivery presentation	
Rupture of membranes date	12/01/25
Rupture of membranes time	08:00
Delivery outcome	<input checked="" type="radio"/> Liveborn <input type="radio"/> Abortion before 20 weeks <input type="radio"/> Neonatal death <input type="radio"/> Stillborn
Operative Delivery Details Observed	
Operative delivery type	<input type="radio"/> Forceps <input checked="" type="radio"/> Vacuum extraction
Number of pulls	2
Number of popoffs	1

### Baby's Delivery Record:

Delivery History	
Baby Selection	
Is this baby A, B, C, D or E?	
<input type="radio"/> Baby A <input checked="" type="radio"/> Baby B <input type="radio"/> Baby C <input type="radio"/> Baby D <input type="radio"/> Baby E	
Baby B Delivery	
Delivery type B	<input type="radio"/> Cesarean section <input checked="" type="radio"/> Vaginal delivery
Delivery date B	12/01/25
Delivery time B	12:43
Infant sex B	<input type="radio"/> Ambiguous <input checked="" type="radio"/> Female <input type="radio"/> Male
Delivery presentation B	<input type="checkbox"/> Breech <input type="checkbox"/> Compound <input type="checkbox"/> Funic <input type="checkbox"/> Occiput posterior <input type="checkbox"/> Vertex
Other delivery presentation B	<input type="checkbox"/> Brow <input type="checkbox"/> Face <input type="checkbox"/> Occiput anterior <input checked="" type="checkbox"/> Occiput transverse <input type="checkbox"/> Other
Rupture of membranes date B	12/01/25
Rupture of membranes time B	08:00
Delivery outcome B	<input checked="" type="radio"/> Liveborn <input type="radio"/> Abortion before 20 weeks <input type="radio"/> Neonatal death <input type="radio"/> Stillborn
Operative delivery type B	<input type="radio"/> Forceps <input checked="" type="radio"/> Vacuum extraction
Number of pulls B	2
Number of popoffs B	1
Neonatal bereavement care B	<input type="checkbox"/> Mementos assembled <input type="checkbox"/> Photos taken <input type="checkbox"/> Touched/held baby <input type="checkbox"/> Viewed baby <input type="checkbox"/> Other
Other neonatal bereavement care B	
Neonatal disposition B	<input type="checkbox"/> Funeral <input type="checkbox"/> Medical examiner <input type="checkbox"/> Morgue <input type="checkbox"/> Patho for disposal <input type="checkbox"/> Patho then funeral home <input type="checkbox"/> Other

A new Operative Delivery Details Observed section will be added to the Delivery History documentation for both the mother record and the baby. It includes three new queries:

- Operative delivery type
- Number of pulls
- Number of pop-offs

*Changes go in effect **Dec 17, 2025***



+ Electronic Fetal Monitoring

☐ Stat

☒ Routine

\* New

\* Provider

Mt,Meditech

\* Source

System Dispense

\* EFM frequency

Continuous  
Intermittent - Q15 min  
Intermittent - Q30 min  
Intermittent - Q1 hr  
Intermittent - Q4 hr

Tocometry frequency

Comment

Continuous  
Intermittent - Q15 min  
Intermittent - Q30 min  
Intermittent - Q1 hr  
Intermittent - Q4 hr  
Other

**+ Electronic Fetal Monitoring**

☐ Stat

☒ Routine \* New

* Provider	Mt, Meditech
* Source	System Dispense
* EFM frequency	Intermittent - Q15 min Intermittent - Q30 min Intermittent - Q1 hr Intermittent - Q4 hr <b>Other</b>
Tocometry frequency	
Comment	

Continuous  
Intermittent - Q15 min  
Intermittent - Q30 min  
Intermittent - Q1 hr  
Intermittent - Q4 hr  
Other

**Comment – free text**

# Expanse TIP SHEET

## Order Management

### Fetal Nonstress Test Order



Fetal Nonstress Test	
<input type="checkbox"/> Stat	
<input checked="" type="checkbox"/> Routine	
* Provider	Mt, Meditech
* Source	Department Process
Reason	
Comment	

Fetal Nonstress Test Order

- **NEW:** Reason query with ability for free text
- Comment query

## MEDITECH Expanse TIP SHEET

### MAR Lot Number and Expiration Date



MAR Lot and Expiration Date	
Number	*Number Enter the number of vials, syringes, bags, or other dosage forms given.
1	
2	Lot number 1 Expiration date 1
3	Lot number 2 Expiration date 2
4	Lot number 3 Expiration date 3
	Lot number 4 Expiration date 4

The wording in the MAR section for Lot Number and Expiration Date, associated with medications such as Rhogam, has led to some confusion among users.

To address this, the following changes will be made:

- "Number of dose units" will change to say "Number"
- A description will be added: "Enter the number of vials, syringes, bags, or other dosage forms given."
- The word "Unit" will be removed from "Unit 1", "Unit 2", "Unit 3", and "Unit 4".

# CHG0427947 – Rules to Lab orders to prevent duplicate tests (BMP, CMP, Renal Function Panel, Liver Panel)



Changes go in effect 12/17/25

ChartDocumentOrdersDischargeSignWorkloadChart ViewerMenuMoreHelp

Conflicts

able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded

Close

▼ CMP [Comprehensive Metabolic Panel] Routine

Override

\*Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM CMP RFP Order Check	
Rule Message	Cannot order a CMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous.	

► Renal Function Panel Routine

- Hard stop when trying to order a CMP and Renal Function Panel. *"Cannot order a CMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous."*

ChartDocumentOrdersDischargeSignWorkloadChart ViewerMenuMoreHelp

Conflicts

able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded

Close

▼ BMP [Basic Metabolic Panel] Routine

Override

\*Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM BMP RFP Order Check	
Rule Message	Cannot order a BMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous instead of BMP and RFP.	

► Renal Function Panel Routine

- Hard stop when trying to order a BMP and Renal Function Panel. *"Cannot order a BMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous instead of BMP and RFP."*

**Conflicts**  
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **CMP [Comprehensive Metabolic Panel] Routine** Override \*Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM CMP Liver Pan Order Check	
Rule Message	Cannot order a CMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili.	

► **Liver Panel Routine**

- Hard stop when trying to order a CMP and Liver Panel.. *"Cannot order a CMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili."*

**Conflicts**  
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **Liver Panel Routine** Override \*Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM RFP Liver Pan Order Check	
Rule Message	Cannot order a HFP and RFP together. Please cancel one, or consider ordering a CMP, Direct Bili, and Phosphorous.	

► **Renal Function Panel Routine**

- Hard stop when trying to order a Renal Function Panel and Liver Panel.. *"Cannot order a HFP and RFP together. Please cancel one, or consider ordering a CMP, Direct Bili, and Phosphorous."*

**Conflicts**  
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **BMP [Basic Metabolic Panel] Routine** Override \*Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM BMP Liver Pan Order Check	
Rule Message	Cannot order a BMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili instead of BMP and HFP.	

► **Liver Panel Routine**

- Hard stop when trying to order a BMP and Liver Panel.. *"Cannot order a BMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili instead of BMP and HFP."*

# MEDITECH Expanse TIP SHEET

## Surveillance: Updates to Profiles on Nurse Status Boards



<input type="checkbox"/>	<b>PHATest,DowntimeMAR</b>			
	H.101-05	Chest pain	Consult not called, Pref Pharm	
	59 M	Brad B Kehler		
	11/29/24	Michelle Bivens		
>	ADM IN	Resus Status Not Ord...		
<input type="checkbox"/>	<b>surveillance,Rose</b>			
	H.101-10	Abdominal aortic ane...	High Fall Risk	10:00 Fall Risk Sc... 21:00 Pain Assess... 22:00 Fall Risk Sc...
	76 M	Michelle Biver		
	09/11/24			
>	ADM IN	Resus Status Not Ord... Hospi		
<input type="checkbox"/>	<b>Surveillance,Test10</b>			
	H.101-15	Chest pain	Suicide Risk, Tele, Pref Pharm	10:00 Lines + 22:00 Lines +
	74 F	Umid Abdullah		
	11/01/24			
>	ADM IN	MDRO Hx Resus Status Not Ord...		

The “High Fall Risk” surveillance flag will have 2 new optional actions added:

- 1) Fall Risk Screening +
- 2) Teach Educate +

To launch an action, click on the “High Fall Risk” flag (1)(2) on the Patient Care Status Board to launch the criteria overlay.

The screenshot displays the MEDITECH Expanse interface. The top window is the 'Surveillance Profile Criteria' overlay for 'surveillance,Rose 76 M 05/14/1989'. It shows a list of criteria with a 'Take Action for High Fall Risk' section containing 'Fall Risk Screening' and 'Teach/Educate'. A red circle with the number 3 highlights the 'Teach/Educate' action. The bottom window is the 'Rose surveillance: Flowsheet' for 'surveillance,Rose 76 M 05/14/1989 ADM IN H.101 H.101-10'. It shows a table with columns for 'Interventions', 'Assessments', and 'Fall Risk Tool Identifier'. A red circle with the number 3 highlights the 'Fall Risk Screening' action in the 'Interventions' column.

Click on an action (3) to launch directly into documenting the intervention.

As part of this update, the “High Fall Risk” flag will also now display for Inpatient Rehab, Adult BH, Newborn, and Pediatric patients assessed as high risk in their respective fall risk screening tools.

Home Status Code Status Discharge

☐ **Surveillance, Test5**

H.101-02 TEST **Restraints**

66 M Meditech Mt

09/27/24 MDRO

> ADM IN Resus Status Not Ord... Home

**Surveillance**

Restraints: 11/14/25 11:58

**DHATact DowntimeMAD**

**Surveillance Profile Criteria**

Surveillance, Test5, 66 M, 01/01/1952 Allergy/Adx: No Known Allergies

Profile Qualified Instance

Restraints 11/14/25 11:58 1

**Details**

Patient with an active restraint episode, as documented by nursing.

Patients will be removed from this profile when a Restraint Status of "Discontinue" is documented by nursing within the Restraints intervention.

**Associated Data**

Order	Result	Date	Specimen
Restraint status	Start	11/14/25 11:58	
Documenter, Start	KQ09278	11/14/25 11:58	
Clinical justification	Attempts to remove device	11/14/25 11:58	
Alternatives utilized	1:1 discussion	11/14/25 11:58	
Level of restraint	Non-violent	11/14/25 11:58	

**Take Action for Restraints**

Restraints Documentation +

**Qualifying Criteria**

Add To Profile Remove From Profile Edit Reevaluate Time View Actions History

The **"Restraints"** surveillance flag will also have a new optional action that launches to the Restraints intervention.

☐ **Surveillance, Test10**

H.101-15 Chest pain **Suicide Risk, Tele, Pref Pharm**

74 F Umid Abdullah

11/01/24

> ADM IN Resus Status Not Ord

**Surveillance**

Suicide Risk: 05/20/25 12:53

**Surveillance Profile Criteria**

Surveillance, Test10 (Test10a), 74 F, 01/01/1951 Allergy/Adx: Not Recorded

Profile Qualified Instance

Telemetry Order Active 05/18/25 09:49 1

Suicide Risk 05/20/25 12:53 1

Preferred Pharmacy Incomplete 11/01/24 10:30 1

**Suicide Risk Hierarchy**

1: The Provider ORL suicide risk documented is Low, Moderate or High  
OR  
2: The Nursing suicide risk calculated score documented is Low, Moderate or High AND the Provider ORL documentation does not exist (has not been documented)

**Associated Data**

Order	Result	Date	Specimen
Initial screen suicide risk level - Nursing	High risk	05/20/25 11:52	

**Take Action for Suicide Risk**

Suicide Safe Environment +

**Qualifying Criteria**

Add To Profile Remove From Profile Edit Reevaluate Time View Actions History

The **"Suicide Risk"** surveillance flag on nurse status boards will also have a new optional action that launches to the "Suicide Safe Environment +" intervention.



# CHG0426648 – Consult to Dietitian, Adult, Consult to Dietitian, Pediatric, and Consult to Nutrition order changes



Changes go in effect 12/17/25

## Consult to Dietitian, Adult

- Reason for consult is required

If Other is selected for Reason for consult, then the comment query “Other reason for consult” becomes required

**Consult to Dietitian, Adult**

Stat ☐

☒ Routine \* New 11/21/25 14:50

\* Reason for consult: Education

\* Education needs:

Additional comments:

If Education is selected as a reason for consult, then the query “Education needs” becomes required

**Consult to Dietitian, Adult**

Stat ☐

☒ Routine \* New 11/21/25 14:50

\* Reason for consult: Education

\* Education needs: Other

\* Other education needs:

Additional comments:

If Other is selected for Education needs, then the comment query “Other education needs” becomes required

**Consult to Dietitian Pediatric**

Stat ☐

☒ Routine \* New 11/21/25 14:58

\* Reason for consult:

Additional comments:

**Consult to Dietitian Pediatric**  
Reason for Consult is required.

**Consult to Dietitian, Pediatric**

☐ Stat

☒ Routine \* New 11/21/25 14:58

\* Reason for consult: Other

\* Other reason for consult:

Additional comments:

☐ Routine

If Other is selected for Reason for consult, then the comment query "Other reason for consult" becomes required.

**Consult to Dietitian, Pediatric**

☐ Stat

☒ Routine \* New 11/21/25 14:58

\* Reason for consult: Education

\* Education needs:

Additional comments:

If Education is selected for Reason for consult, then the comment query "Education needs" becomes required.

**Consult to Nutrition**

☐ Stat

☒ Routine \* New 11/21/25 15:02

\* Reason for consult:

Additional comments:

**Consult to Nutrition**  
Reason for consult is required

**Consult to Nutrition**

☐ Stat

☒ Routine

**\* New** 11/21/25 15:02

**\* Reason for consult** Other

**\* Other reason for consult**

**Additional comments**

If Other is selected for Reason for Consult, then the comment query “Other reason for consult” becomes required.

**Consult to Nutrition**

☐ Stat

☒ Routine

**\* New** 11/21/25 15:02

**\* Reason for consult** Education

**\* Education needs**

**Additional comments**

If Education is selected for Reason for Consult, then the query “Education needs” becomes required.

**Consult to Nutrition**

☐ Stat

☒ Routine

**\* New** 11/21/25 15:02

**\* Reason for consult** Education

**\* Education needs** Other

**\* Other education needs**

**Additional comments**

If Other is selected under Education needs, then the comment query “Other education needs” becomes required.

# MEDITECH Expanse TIP SHEET


## Pharmacy




### Ceftriaxone IM administration with Lidocaine as the diluent

#### Pharmacist Verification

Lidocaine should NOT be used as a diluent in pediatric patients, 17 years old or less.



Lidocaine as a diluent should only be administered via IM.



# MEDITECH Expanse TIP SHEET

## MAR Lot Number and Expiration Date



☐ MAR Lot and Expiration Date

☐ Number

\*Number  Enter the number of vials, syringes, bags, or other dosage forms given.

☐ 1

Lot number 1

Expiration date 1

☐ 2

Lot number 2

Expiration date 2

☐ 3

Lot number 3

Expiration date 3

☐ 4

Lot number 4

Expiration date 4

The wording in the MAR section for Lot Number and Expiration Date, associated with medications such as Rhogam, has led to some confusion among users.

To address this, the following changes will be made:

- "Number of dose units" will change to say "Number"
- A description will be added: "Enter the number of vials, syringes, bags, or other dosage forms given."
- The word "Unit" will be removed from "Unit 1", "Unit 2", "Unit 3", and "Unit 4".