

# Provider without DEA

Expanse Pharmacy

EHR

Update


## Provider without DEA requiring PHA verification

The DEA PWR is intended to prevent providers without appropriate DEA licensure from ordering controlled medications they are not authorized to prescribe. A recent system glitch allowed a provider without a DEA number to order a scheduled medication.

OM controlled-substance scheduling is tied to the FSV ID within the PHA drug dictionary. Because this order was placed through EDM, it auto verified and bypassed pharmacy review, so the issue was not identified at the time.

To address this gap, a new rule will require PHA verification whenever a provider without a DEA number orders a scheduled medication. During verification, Pharmacy will receive an alert indicating that the provider does not have the appropriate licensure.

Example message during pharmacy verification:



The screenshot displays a pharmacy verification interface with an error dialog box. The background interface includes tabs for Medication, Taper, Protocol, Chemo, Comments, Instructions, Queries, Screenings, and Provider. The main form contains fields for Rx Number (NEW), Medication (ALPRAZolam 0.5 mg Tablet), \*Medication (ALPRO.5T4, Xanax), \*Order Type (M), Clinical Ind, Dosing Wt (130 KG, Current), \*Dose (0.5 MG, 1 Tablet PER DOSE), \*Route (PO, Oral), \*Frequency, \*Schedule, \*Start Date, \*Time, Total Doses, Bulk, \*Inventory (CMCT.MAIN, CMCT Main), \*Dispense (1, TabletS), Cart Amount (0), \*Charge Type (NOCALC), and \*Charge (0.00, Pending). A note states: "NOTE: Dose Range Checking is not supported for Zero/Ranged dose orders." The error dialog box, titled "Error", contains the message: "A DEA number is required to enter controlled substances. PADEA number is missing." and a "Close" button.

# Expanse TIP SHEET-Pharmacy

## Oncology CHEMO Order Types



A need was identified to have the ability to send medication orders to an alternate printing location, such as an Oncology Satellite Pharmacy. Depending on the situation, these order types need to have the flexibility to have various co-sign, CVER requirements, and administration documentation requirements. A catalog of 'CHEMO' Order Types has been deployed to be utilized in this specialty setting.

Order Type	Name	CVER	Cosign	Location	Printer
<b>CHEMOIV</b>	Chemo IV-CVER/Cosign	Yes	Yes	Satellite	Dose Edge
CHEMOIV2 *New*	Chemo IV-CVER/Cosign 2	Yes	Yes	Satellite	Thermal Printer
CHEMOIV3 *New*	Chemo IV-No CVER	No	Yes	Satellite	Dose Edge
CHEMOIV4 *New*	Chemo IV-No CVER 2	No	Yes	Satellite	Thermal Printer
CHEMOIV5 *New*	Chemo IV -No Cosign	Yes	No	Satellite	Dose Edge
CHEMOIV6 *New*	Chemo IV -No Cosign 2	Yes	No	Satellite	Thermal Printer
CHEMOIV7 *New*	Chemo IV-No CVER/Cos	No	No	Satellite	Dose Edge
CHEMOIV8 *New*	Chemo IV-No CVER/Cos 2	No	No	Satellite	Thermal Printer
<b>CHEMOSYR</b>	Chemo Syr IVP-CVER/Cosign	Yes	Yes	Satellite	Dose Edge
CHEMOSYR2 *New*	Chemo Syr IVP-CVER/Cosign 2	Yes	Yes	Satellite	Thermal Printer
CHEMOSYR3 *New*	Chemo Syr IVP- No CVER	No	Yes	Satellite	Dose Edge
CHEMOSYR4 *New*	Chemo Syr IVP- No CVER 2	No	Yes	Satellite	Thermal Printer
CHEMOSYR5 *New*	Chemo Syr IVP- No Cosign	Yes	No	Satellite	Dose Edge
CHEMOSYR6 *New*	Chemo Syr IVP- No Cosign 2	Yes	No	Satellite	Thermal Printer
CHEMOSYR7 *New*	Chemo Syr IVP- No CVER/Cos	No	No	Satellite	Dose Edge
CHEMOSYR8 *New*	Chemo Syr IVP- No CVER/Cos 2	No	No	Satellite	Thermal Printer
<b>CHEMOSQ *New*</b>	Chemo Sub Q-CVER/Cosign	Yes	Yes	Satellite	Dose Edge
CHEMOSQ2 *New*	Chemo Sub Q-CVER/Cosign 2	Yes	Yes	Satellite	Thermal Printer
CHEMOSQ3 *New*	Chemo Sub Q- No CVER	No	Yes	Satellite	Dose Edge
CHEMOSQ4 *New*	Chemo Sub Q- No CVER 2	No	Yes	Satellite	Thermal Printer
CHEMOSQ5 *New*	Chemo Sub Q- No Cosign	Yes	No	Satellite	Dose Edge
CHEMOSQ6 *New*	Chemo Sub Q- No Cosign 2	Yes	No	Satellite	Thermal Printer
CHEMOSQ7 *New*	Chemo Sub Q- No CVER/Cos	No	No	Satellite	Dose Edge
CHEMOSQ8 *New*	Chemo Sub Q- No CVER/Cos 2	No	No	Satellite	Thermal Printer
<b>CHEMOMED</b>	Chemo Medication	No	Yes	MAIN	Thermal Printer

Document Title]

CHEMOMED2 *New*	Chemo Medication 2	No	Yes	Satellite	Thermal Printer
CHEMOMED3 *New*	Chemo Medication- No Cosign	No	No	Satellite	Thermal Printer

CHEMOIV is an IV order type dispensed by SIG and goes to the I/O and has an IV Flowsheet for documenting Rate on the MAR

\*CHEMOSYR is an IV order type dispensed by SIG, goes to I/O but does not have an IV Flowsheet (meant to be used for IV Push orders)

\* CHEMOSUBSQ is an IV order type dispensed by SIG but does not go to I/O or have a flowsheet.