

CHG0428821 Expanse TIP SHEET

Negative Pressure Wound Therapy

Changes go in effect 12/17/2025



The Wound Vac (Negative Pressure Wound Therapy) order has been enhanced to streamline documentation and improve clarity for clinicians applying NPWT. This update includes the addition of two aliases: “Wound Vac” for the primary Negative Pressure Wound Therapy order and “DC Wound Vac” for the discontinuation order. These aliases make the orders easier to locate when searching within Expanse and align with common clinical terminology. When “Other” is selected for pressure setting or dressing type, supplemental text fields appear to capture required detail. These updates support accurate, consistent wound care documentation across all clinical settings.

The screenshot displays the Expanse system interface for Negative Pressure Wound Therapy. The top section shows the order form with fields for Provider (Mt, Meditech), Source (Approved Standardized Orders), and various settings. The 'Pressure setting' is set to 'Other', which has triggered additional text input fields for 'Other pressure setting', 'Change dressing frequency', 'At each dressing change irrigate wound with', 'Other negative pressure dressing', 'Other change dressing frequency', and 'Negative pressure therapy comments'. The bottom section shows the 'Orders' list with two entries: 'Wound Vac [Negative Pressure Wound Therapy]' and 'DC Wound Vac [DC Negative Pressure Wound Therapy]'. A patient information sidebar on the right shows details for a 67-year-old male patient.

Negative Pressure Wound Therapy

☐ Stat ☒ Routine New 12/05/25

* Provider: Mt, Meditech

* Source: Approved Standardized Orders

Negative pressure therapy to be applied to: [Text Field]

Negative pressure applied: [Text Field]

Pressure setting: Other

* Other pressure setting: [Text Field]

Change dressing frequency: [Text Field]

At each dressing change irrigate wound with: [Text Field]

Negative pressure dressing: Other

* Other negative pressure dressing: [Text Field]

Other change dressing frequency: [Text Field]

Negative pressure therapy comments: [Text Field]

Orders

Wound Vac [Negative Pressure Wound Therapy]

DC Wound Vac [DC Negative Pressure Wound Therapy]

Directions, Other

Acute 67, M - 05/23/1958
MRN# TS

ADM IN, M.CCUA M.CC01 -A

5ft 4in BSA: 1.66m²
135lb BMI: 23.2kg/m²

ACCF M27 Resus Status Not Ordered
No Hx Avail

Screenshot Description (with alias context)

- The order now appears under the alias “Wound Vac” when searching for Negative Pressure Wound Therapy.
- A corresponding alias “DC Wound Vac” is available for discontinuing NPWT therapy.
- The order screen displays all major NPWT documentation elements, including pressure applied, dressing type, irrigation solution, and therapy frequency.
- Choosing Other under Pressure setting activates a required text box for specifying the custom pressure setting.
- Likewise, selecting Other under Negative pressure dressing opens a text field to describe the dressing used.

Negative pressure dressing	<div>White</div> <div>Black</div> <div></div>	<div></div> <div></div>
Other change dressing frequency		
* Negative pressure dressing instructions		

When 2 or more negative pressure dressings are selected, the negative pressure dressing instructions will be required and populated.

CHG0427947 – Rules to Lab orders to prevent duplicate tests (BMP, CMP, Renal Function Panel, Liver Panel)



Changes go in effect 12/17/25

Conflicts

able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded

Close

▼ CMP [Comprehensive Metabolic Panel] Routine

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM CMP RFP Order Check	
Rule Message	Cannot order a CMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous.	

► Renal Function Panel Routine

- Hard stop when trying to order a CMP and Renal Function Panel. *"Cannot order a CMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous."*

Conflicts

able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded

Close

▼ BMP [Basic Metabolic Panel] Routine

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM BMP RFP Order Check	
Rule Message	Cannot order a BMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous instead of BMP and RFP.	

► Renal Function Panel Routine

- Hard stop when trying to order a BMP and Renal Function Panel. *"Cannot order a BMP and RFP together. Please cancel one, or consider ordering a CMP and Phosphorous instead of BMP and RFP."*

Conflicts
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **CMP [Comprehensive Metabolic Panel] Routine** Override *Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM CMP Liver Pan Order Check	
Rule Message	Cannot order a CMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili.	

► **Liver Panel Routine**

- Hard stop when trying to order a CMP and Liver Panel.. *"Cannot order a CMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili."*

Conflicts
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **Liver Panel Routine** Override *Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM RFP Liver Pan Order Check	
Rule Message	Cannot order a HFP and RFP together. Please cancel one, or consider ordering a CMP, Direct Bili, and Phosphorous.	

► **Renal Function Panel Routine**

- Hard stop when trying to order a Renal Function Panel and Liver Panel.. *"Cannot order a HFP and RFP together. Please cancel one, or consider ordering a CMP, Direct Bili, and Phosphorous."*

Conflicts
able, test8 (c) 38 F 01/01/1987 Allergy/Adv: Not Recorded Close

▼ **BMP [Basic Metabolic Panel] Routine** Override *Erase

SCREENING TYPE	DESCRIPTION	SEVERITY
▼ Order Rule	OM BMP Liver Pan Order Check	
Rule Message	Cannot order a BMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili instead of BMP and HFP.	

► **Liver Panel Routine**

- Hard stop when trying to order a BMP and Liver Panel.. *"Cannot order a BMP and HFP together. Please cancel one, or consider ordering a CMP and Direct Bili instead of BMP and HFP."*

CHG0428777 Expanse TIP SHEET

DRAIN MANAGEMENT

The Drain Management, PACU Drain Management, and DC Drain orders have been updated to include Mediastinal tube as a selectable drain type. This enhancement supports CV surgery workflows by allowing clinicians to clearly differentiate mediastinal tubes from other drain types when managing or discontinuing drains. Adding this option helps prevent errors, improves documentation accuracy, and ensures clearer communication during postoperative care. No other changes were made to these orders.

The screenshots show the following fields and options:

- PACU Drain Management:**
 - Stat: ☐
 - Routine: ☒ New 12/04/25
 - Provider: Mt, Meditech
 - Source: Approved Standardized Orders
 - Type of drain: JVAC, Mediastinal tube, NG tube, Penrose, Percutaneous
 - Drain management: Measure output and document every (hrs):
 - Drain management comment:
- Orders:**
 - Search All: Filter: All Pt, Age, Wt
 - Drain Management:
 - Stat: ☐
 - Routine: ☒ New 12/04/25
 - Provider: Mt, Meditech
 - Source: Approved Standardized Orders
 - Type of drain: JVAC, Mediastinal tube, NG tube, Penrose, Percutaneous
 - Drain management: Measure output and document every (hrs):
 - Drain management comment:
- DC Drain:**
 - Stat: ☐
 - Routine: ☒ New 12/04/25
 - Provider: Mt, Meditech
 - Source: Approved Standardized Orders
 - Drain type: JVAC, Mediastinal tube, NG tube, Penrose, Percutaneous
 - DC drain comment:

What Screenshot Shows

- The Type of drain / Drain type dropdown now includes Mediastinal tube as a new option.
- Clinicians can select Mediastinal tube the same way they select JP, NG tube, Penrose, percutaneous, etc.
- The updated value appears in all affected orders:
- Drain Management
- PACU Drain Management
- DC Drain
- No additional prompts or new fields were added — the only change is the new drain type in the list.
- The screenshot highlights the dropdown with Mediastinal tube visible among the standardized drain options.

MEDITECH Expanse TIP SHEET

Surveillance: Updates to Profiles on Nurse Status Boards



<input type="checkbox"/>	PHATest,DowntimeMAR			
	H.101-05	Chest pain	Consult not called, Pref Pharm	
	59 M	Brad B Kehler		
	11/29/24	Michelle Bivens		
>	ADM IN	Resus Status Not Ord...		
<input type="checkbox"/>	surveillance,Rose			
	H.101-10	Abdominal aortic ane...	High Fall Risk	10:00 Fall Risk Sc... 21:00 Pain Assess... 22:00 Fall Risk Sc...
	76 M	Michelle Biver		Unc
	09/11/24			
>	ADM IN	Resus Status Not Ord... Hospi		
<input type="checkbox"/>	Surveillance,Test10			
	H.101-15	Chest pain	Suicide Risk, Tele, Pref Pharm	10:00 Lines + 22:00 Lines +
	74 F	Umid Abdullah		Unc
	11/01/24			
>	ADM IN	MDRO Hx Resus Status Not Ord...		

The “High Fall Risk” surveillance flag will have 2 new optional actions added:

- 1) Fall Risk Screening +
- 2) Teach Educate +

To launch an action, click on the “High Fall Risk” flag (1)(2) on the Patient Care Status Board to launch the criteria overlay.

The screenshot displays the MEDITECH Expanse interface. The top window is the 'Surveillance Profile Criteria' overlay for 'surveillance,Rose 76 M 05/14/1989'. It shows a list of criteria with a 'Take Action for High Fall Risk' section containing 'Fall Risk Screening' and 'Teach/Educate'. A red circle with the number 3 highlights the 'Teach/Educate' action. The bottom window is the 'Rose surveillance: Flowsheet' for 'ADM IN H.101 H.101-10'. It shows a table with columns for 'Interventions', 'Assessments', and 'Fall Risk Screening'. A red circle with the number 3 highlights the 'Fall Risk Screening' column.

Click on an action (3) to launch directly into documenting the intervention.

As part of this update, the “High Fall Risk” flag will also now display for Inpatient Rehab, Adult BH, Newborn, and Pediatric patients assessed as high risk in their respective fall risk screening tools.

Home Status Code Status Discharge

☐ **Surveillance, Test5**

H.101-02 TEST **Restraints**

66 M Meditech Mt

09/27/24 MDRO

> ADM IN Resus Status Not Ord... Home

Surveillance

Restraints: 11/14/25 11:58

DHATact DowntimeMAD

Surveillance Profile Criteria Close

Surveillance, Test5, 66 M, 01/01/1952 Allergy/Adx: No Known Allergies

Profile Qualified Instance

Restraints 11/14/25 11:58 1

Details

Patient with an active restraint episode, as documented by nursing.

Patients will be removed from this profile when a Restraint Status of "Discontinue" is documented by nursing within the Restraints intervention.

Associated Data

Order	Result	Date	Specimen
Restraint status	Start	11/14/25 11:58	
Documenter, Start	KQ09278	11/14/25 11:58	
Clinical justification	Attempts to remove device	11/14/25 11:58	
Alternatives utilized	1:1 discussion	11/14/25 11:58	
Level of restraint	Non-violent	11/14/25 11:58	

Take Action for Restraints

Restraints Documentation +

Qualifying Criteria

↑ ↓ Add To Profile Remove From Profile Edit Reevaluate Time View Actions History

The **"Restraints"** surveillance flag will also have a new optional action that launches to the Restraints intervention.

☐ **Surveillance, Test10**

H.101-15 Chest pain **Suicide Risk, Tele, Pref Pharm**

74 F Umid Abdullah

11/01/24

> ADM IN Resus Status Not Ord

Surveillance

Suicide Risk: 05/20/25 12:53

Surveillance Profile Criteria Close

Surveillance, Test10 (Test10a), 74 F, 01/01/1951 Allergy/Adx: Not Recorded (More +)

Profile Qualified Instance

Telemetry Order Active 06/18/25 09:49 1

Suicide Risk 05/20/25 12:53 1

Preferred Pharmacy Incomplete 11/01/24 10:30 1

Suicide Risk Hierarchy

1: The Provider ORL suicide risk documented is Low, Moderate or High
OR
2: The Nursing suicide risk calculated score documented is Low, Moderate or High AND the Provider ORL documentation does not exist (has not been documented)

Associated Data

Order	Result	Date	Specimen
Initial screen suicide risk level - Nursing	High risk	05/20/25 11:52	

Take Action for Suicide Risk

Suicide Safe Environment +

Qualifying Criteria

↑ ↓ Add To Profile Remove From Profile Edit Reevaluate Time View Actions History

The **"Suicide Risk"** surveillance flag on nurse status boards will also have a new optional action that launches to the "Suicide Safe Environment +" intervention.